Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L11	474	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (check with regular intervals)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/26 07:58
L12	0	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (check with regular intervals) same "1394"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/26 07:59
L13	0	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (check near network state with regular intervals) same "1394"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/26 07:59
L14	0	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (check near network state with regular intervals)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/26 07:59
L15		(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (check near4 network state with regular intervals)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/26 07:59
L16		(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (check with network state with regular intervals)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/26 07:59
L17	0	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (check with network state with intervals)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF .	2007/11/26 07:59

L18	3	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (check with network with state with intervals)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/26 08:00
L19	9	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (check\$3 with network with state with intervals)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/26 08:00
S1	4381	370/401.ccls. and (@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/21 12:25
S2	1	("6167046").PN.	USPAT; USOCR	OR	OFF	2007/11/19 16:04
S3	1	("6434593").PN.	USPAT; USOCR	OR	OFF	2007/11/19 16:13
S4	1	("6034966").PN.	USPAT; USOCR	OR	OFF	2007/11/19 16:13
S5	4	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (wireless near4 gateway) with "1394"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/19 16:39
S6	0	(CEHIC near2 KENAN).xa. OR (CEHIC near2 KENAN).xp.	USPAT	OR	OFF	2007/11/19 17:04
<b>S7</b>	0	(elpenord).xa.	USPAT	OR	OFF	2007/11/19 17:04
S8	9	("5764699"   "6208620"   "6272148"   "6301609"   "6480889"   "6728244"   "6845090").PN. OR ("6885643").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/21 11:10
S9	2598	370/252.ccls. and (@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/21 12:25

S10	474	370/395.4.ccls. and (@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/21 12:26
S11	167	370/395.41.ccls. and (@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/21 12:26
S12	2175	370/468.ccls. and (@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/22 10:39
S13	1083	370/229.ccls. and (@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/21 12:27
S14	55	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (base station with measur\$4 with bandwidth)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/26 07:58
S15	1	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (base station adj4 measur\$4 adj4 bandwidth)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/21 12:42
S16	1	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and ((base station or access point) adj4 measur\$4 adj4 bandwidth)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/21 12:42

11/26/2007 8:42:28 AM C:\Documents and Settings\kcehic\Desktop\apps\10535239\239.wsp Page 3

S17	149	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and ((base station or access point) adj4 measur\$4 adj4 data)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/21 12:45
S18	5	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and ((base station or access point) adj4 monitor\$4 adj4 bandwidth)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF -	2007/11/21 12:49
S19	1	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and ((base station or access point) adj4 measur\$4 adj4 bandwidth)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/21 12:50
S20	70	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and ((base station or access point) adj4 measur\$4 adj4 traffic)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/21 12:51
S21	3	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and ((base station or access point) adj4 (measur\$4 or monitor\$4) adj4 traffic with bandwidth)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/21 14:44
S22	2	370/401.ccls. and (@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118" or @rlpn<="20021118") and (estimat\$4 near4 bandwidth) with ((calculat\$5 or determin\$5) near4 bandwidth)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/21 13:31
S23	11	(US-20040001467-\$ or US-20040008627-\$).did. or (US-6885643-\$ or US-6845090-\$ or US-7248573-\$ or US-6728244-\$ or US-6480889-\$ or US-7129855-\$ or US-6272148-\$ or US-6208620-\$ or US-5764699-\$).did.	US-PGPUB; USPAT	OR	OFF	2007/11/21 13:22

S24	4	S23 and (estimat\$4 )	US-PGPUB; USPAT	OR	OFF	2007/11/21 14:27
S25	0	370/401.ccls. and (@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (estimat\$4 near4 bandwidth) with (allocat\$4 near4 bandwidth)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/21 13:32
S26		370/401.ccls. and (@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and ((estimat\$4 or measur\$5 or monitor\$4) near4 bandwidth) with (allocat\$4 near4 bandwidth)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/21 13:42
S27	7	370/401.ccls. and (@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (wireless with "1394")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/21 16:12
S28	8	S23 and (bandwidth)	US-PGPUB; USPAT	OR	OFF	2007/11/21 14:27
S29	16	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (error rate with bandwidth near3 allocat\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/21 14:45
S30	128	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (error rate with bandwidth near3 increas\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ .	OFF	2007/11/21 14:48
S31	0	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (error rate near (exceed\$4 or threshold) with bandwidth near3 increas\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/21 14:48

						·
S32	1	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (error rate near3 (exceed\$4 or threshold) with bandwidth near3 increas\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/21 14:49
S33	0	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (((error rate) or ber) near3 (threshold) with bandwidth near3 increas\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/21 14:56
S34	61	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and ((error near2 rate) or ber) with (bandwidth or band or resource\$2) near4 (increase)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/21 14:57
S35	1	(US-6320850-\$).did.	USPAT	OR	OFF	2007/11/21 15:12
S36	10	370/401.ccls. and (@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (compar\$5 with time with bandwidth)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/21 16:18
S37	114	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (compar\$5 with (time or delay) with reduc\$5 near4 bandwidth)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/21 16:19
S38	25	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (compar\$5 near4 (time or delay) with reduc\$5 near4 bandwidth)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/21 16:22
S39	576	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (delay with reduc\$5 near4 bandwidth)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/21 16:28

S40	1	(@ad<="20021118" or	US-PGPUB;	ADJ	OFF	2007/11/21 16:39
		@pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (delay near3 (larg\$3 or exceed\$4) with reduc\$5 near4 bandwidth) and "455".clas.	USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S41	116	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (time with (chang\$4 or adjust\$4) near4 bandwidth) and "455".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/21 16:45
S42	1	("5920545").PN.	USPAT; USOCR	OR	OFF	2007/11/21 16:42
S43	0	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (rtt with (chang\$4 or adjust\$4) near4 bandwidth) and "455".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/21 16:45
S44	28	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (delay with (chang\$4 or adjust\$4) near4 bandwidth) and "455".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/21 17:31
S45	37	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (responsible near4 (bandwidth or band) near2 allocation)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/22 10:04
S46	44	burst.as.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/22 10:04
S47	0	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") ("1394" same (check near5 state))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/22 10:41

S48	0	(@ad<="20021119" ar	LIC DCDLID.	<b>AD1</b>	OFF	2007/11/22 10:41
OTC	J	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") ("1394").ab. and (bus reset)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	UFF	2007/11/22 10:41
S49	267	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and ("1394"). ab. and (bus reset)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/22 10:41
S50	0	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and ("1394"). ab. and ((bus reset) with (check near4 state))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/22 10:42
S51	60	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and ("1394"). ab. and ((bus reset) with ( state))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/22 10:44
S52	1	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and ("1394"). ab. and ((bus reset) same ((check\$4) near5 state))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/22 10:45
S53	3	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and ("1394") and ((bus reset) same ((check\$4) near5 state))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/22 11:36
S54	96	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (isochronous resource manager or (irm)) with bandwidth\$10 with register	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/22 13:41

S55	23	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (isochronous resource manager or (irm)) with bandwidth\$10 with channel\$10 with register	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/22 11:47
S56	705	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and ((plug control register or pcr) with counter)	US-PGPUB; USPAT; FPRS; ÉPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/22 11:48
S57	22	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and ((plug control register or pcr) with connection counter)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/22 12:20
S58	2	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (estimat\$4 near5 (bandwidth or band)) same "1394"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/22 12:52
S59	4591	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (error rate with increas\$4 near3 (band or bandwidth or rate))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/22 12:53
S60	331	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (error rate near4 (threshold or level or value) with increas\$4 near3 (band or bandwidth or rate))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/22 12:54

S61	. 53	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (error rate near4 (threshold or level or value) with increas\$4 near3 (band or bandwidth or rate)) and (wireless or radio).ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/22 12:55
S62	53	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (error rate near4 (threshold or level or value) with (increas\$4 near3 (band or bandwidth or rate))) and (wireless or radio).ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/22 12:57
S63	2	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (error rate near4 (threshold or level or value) with (increas\$4 near3 (band or bandwidth ))) and (wireless or radio).ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/22 13:04
S64	1348	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and ((delay or rtt or (trip time)) with (compar\$5 or differenc\$3)) same (rate or band or bandwidth) near4 (increas\$4 or decreas\$4 or chang\$4 or adjust\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/22 13:06
S65	551	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and ((delay or rtt or (trip time)) with (compar\$5 or differenc\$3)) with (rate or band or bandwidth) near4 (increas\$4 or decreas\$4 or chang\$4 or adjust\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/22 13:06

11/26/2007 8:42:28 AM C:\Documents and Settings\kcehic\Desktop\apps\10535239\239.wsp Page 10

S66	22	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and ((delay or rtt or (trip time)) with (compar\$5 or differenc\$3)) with (rate or band or bandwidth) near4 (increas\$4 or decreas\$4 or chang\$4 or adjust\$5) and (wireless or radio).ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/22 13:10
S67	393	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (delay or rtt or (trip time)) with (rate or band or bandwidth) near4 (increas\$4 or decreas\$4 or chang\$4 or adjust\$5) and (wireless or radio).ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ .	OFF	2007/11/22 13:10
S68	0	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and ((disabl\$4 near4 node) with request) and "1394"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/22 13:42
S69	94	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and ((disabl\$4) with request) and "1394"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/22 13:46
S70	2	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and ((disabl\$4) with request) same "1394"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/22 13:49
S71	1647	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (release request)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/22 13:49
S72	49	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (release request) and "1394"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/22 13:50

S73	5	(@ad<="20021118" or	US-PGPUB;	ADJ	OFF	2007/11/22 13:58
3/3		@pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (release request) and "1394".ab.	USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	703	Oil	2007/11/22 13:30
S74	77	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (request\$5 with deny) and "1394"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/22 13:59
S75	3	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (request\$5 with deny) and "1394". ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/22 14:01
S76	4	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (release request with disabl\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/22 14:09
S77	3	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (close connection) with (deny)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/22 14:18
S78	9985	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (disabl\$4 near2 (component or device))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/25 13:18
S79	0	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (disabl\$4 near2 (component or device) with (release or close or deallocat\$5) near2 request)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/22 14:19

S80	14	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (disabl\$4 with (release or close or deallocat\$5) near2 request)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/22 14:23
S81	10	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and ((turn or power) near2 off with (release or close or deallocat\$5) near2 request)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/22 14:23
S82	1	("20010040909").PN.	US-PGPUB; USPAT; USOCR	OR	OFF.	2007/11/25 11:38
S83	1	("20010040919").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/25 11:38
S84	1	("20070184839").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/25 14:25
S85	267	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (detect\$5 with resource manager)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/25 15:03
S86	7	(@ad<="20021118" or @pd<="20021118" or @rlan<="20021118" or @rlad<="20021118" or @rlpn<="20021118") and (detect\$5 with resource manager) and "455".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/11/25 15:07